

GSM Desktop phone DPH101

User manual v1.00



LEGAL NOTICE

Copyright © 2011 TELTONIKA Ltd. All rights reserved. Reproduction, transfer, distribution or storage of part or all of the contents in this document in any form without the prior written permission of TELTONIKA Ltd is prohibited.

Other product and company names mentioned herein may be trademarks or trade names of their respective owners.

ATTENTION



Before using the device we strongly recommend to read this user manual.



Do not rip the device. Do not touch the device if the device is broken or its connecting wires are without isolation.



All wireless devices for data transferring may be susceptible to interference, which could affect performance.



The device is not water-resistant. Keep it dry.



The device requires high 230V AC voltage.

IMPORTANT NOTES! It is mandatory to read the notes and manual carefully before starting to use the device.

Table of contents

1	SAF	SAFETY INFORMATION		
2	GETTING STARTED5			
3 PHONE OVERVIEW			7	
	3.1	Description of the phone	7	
	3.2	LCD screen icons	8	
	3.3	DPH101 menu structure	8	
4	CALI	_ FUNCTIONS	10	
	4.1	Making calls	10	
	4.2	Receiving calls	10	
	4.3	Ending calls	10	
5	SMS 1		11	
	5.1	Read SMS	11	
	5.2	Send SMS	11	
	5.3	Delete SMS	11	
	5.4	Message Settings	12	
6	ADD	ITIONAL FEATURES	12	
	6.1	Date and Time Settings	12	
	6.2	Address Book	13	
	6.3	Speed Dialing	13	
	6.4	Audio Settings	13	
	6.5	Alarm	14	
	6.6	Language Selection	15	
	6.7	Dial delay	15	
	6.8	Baby call	15	
	6.9	Operator selection	16	
	6.10	Security settings	16	
	6.11	Restore Factory Defaults	16	
7	SUPPLEMENTARY SERVICES (NETWORK DEPENDENT)		17	
	7.1	Call Forwarding	17	
	7.2	Call Barring	17	
	7.3	Call Waiting	18	
	7.4	Call Transfer	18	
	7.5	Call Conference	18	
	7.6	Hide Call number		
8	TECI	HNICAL SPECIFICATIONS	20	
9	TROUBLESHOOTING			

1 SAFETY INFORMATION

In this document you will be instructed how to use GSM Desktop Phone safely. We suggest you to adhere to following recommendations to avoid any damage to person or property. You have to be familiar with the safety requirements before starting to use the device!



Device requires power supply source that satisfies all safety requirements listed in LST EN 60950-1 standard. Each power supply source should not exceed 15VA.


Upgrade socket is used for device firmware upgrade. Only qualified personnel with proper equipment can upgrade the device.

Do not mount or serve device during a thunderbolt.

To disconnect power for the device please do the following:

- Plug off AC/DC power adapter from the wall outlet.
- Turn off using power on/off button.

To avoid mechanical damage of the device it is recommended to transport the device packed in damage-proof pack. Protection against over currents, short circuits and earth faults should be provided as a part of the building installation. Additional two pole protective device is required to protect from short-circuit and earth faults. The power of connected device should satisfy power of release device. The creepage distance between contacts should be no less than 3mm. While using the device, it should be placed so, that it would be possible to plug AC/DC power adapter off from the wall outlet.



Signal level of the device depends on the environment in which it is working. If the device starts working insufficiently only qualified personnel may repair this product. We recommend to send it to repair centre or to manufacturers. There are no exchangeable parts inside of the device.

2 GETTING STARTED

Package Contents

- A. Handset with cable
- B. Phone device
- C. External GSM Antenna
- D. Power supply adapter
- E. Quick Start Guide



Δ




Note: If any of the components are missing or damaged, please contact the retailer or reseller from which this product was purchased.

Inserting SIM card

Note: SIM card is mandatory for setting up connection to the GSM network. If you don't have s SIM card please contact your network service provider.

- 1. Unplug the power supply adapter
- 2. Open cover



3. Flip SIM card holder and gently insert SIM card in the slot





4. Close SIM card holder



Connect handset

Connect one handset cable end to the handset and another one to the phone jack.



Attach antenna

Screw the antenna in a clockwise direction.



Position the antenna upwards at its connecting joint. This will ensure optimal reception.

Turning on GSM desktop phone

Before plugging power supply in make sure that:

- SIM card is inserted
- Antenna is attached
- Handset is connected to the phone

After all these operations are done you can turn the phone on by plugging power supply in. Press **On/Off** button to turn the phone on if power supply is already plugged in. After the device is powered on it will start up. LCD screen will display information that the phone is starting up. Press **On/Off** button and hold it for 3 sec to turn the phone off.




3 PHONE OVERVIEW

3.1 Description of the phone



3.2 LCD screen icons




3.3 DPH101 menu structure

User friendly menu navigation allows reaching all GSM Desktop phone features.

Menu navigation

To enter menu press **MENU** function key



Menu items are selected by using up and down arrow keys $\blacktriangle \lor$ located below the LCD screen.

To enter selected menu function press left arrow key \triangleleft (LCD displays *OK*), to exit press right arrow key \blacktriangleright (LCD displays *Exit*).

Menu structure is shown below

Messages:

Create message Inbox Clear inbox Message settings Call register: Missed calls Received calls Dialed numbers Clear lists

Contacts: Phone book Speed dial New contact Settings: Language Sound Call services Time and date Security Operator selection Misc Factory reset



4 CALL FUNCTIONS

4.1 Making calls

- Pick up the handset
- Wait for dial tone
- Enter the phone number then press *DIAL* key or wait for 5s or use a *Phone book* to select contact and press *Call*.

Note: To input the "+" character press and hold "0" key.

Correct entered number

- To delete one character press the **Delete** key once
- To delete all character press the *Delete* key until all digits are cleared

Redial last entered number

- Press the **DIAL** key
- Use arrow keys ▲ ▼ to select a number
- Pick up the handset

4.2 Receiving calls

Answering call

To answer the call, pick up the handset

Reject call

To reject call press Disconn.

Note: incoming call number is displayed on the LCD. The caller ID and call number is displayed on the LCD if the number is stored in the phone book.

Note: If there are missed calls the icon "Ring" on the LCD screen is displayed. Number near the icon shows how many calls where missed.

4.3 Ending calls

To end a call place the handset back onto the cradle.

5 SMS

GSM Desktop phone allows sending and receiving SMS text messages. Each SMS message can be up to 160 characters long. Contact your service provider to activate SMS service.

5.1 Read SMS

Read received message

When a new message is received icon "Message" is displayed on the LCD screen. To read the message press *Read*.

Read message from inbox

- Press the *MENU* key
- Select Messages and press OK
- Select Inbox and press OK
- Select message from the list by using arrow keys ▲ ▼ and press Read

Reply to received Messages

- View the desired message
- Press Options
- Select *Reply* and press *OK*
- Type the text using number keypad and press Send
- Press Send again

Forward text Message

- View the desired message
- Press Options
- Select Forward and press OK
- Add text using number keypad and press Send
- Enter the phone number or use *Phone book* to select an contact
- Press Send

5.2 Send SMS

- Press SMS key
- Type the text using number keypad and press Send
- Enter the phone number or use a *Phone book* to select contact
- Press Send

5.3 Delete SMS

- Press the *MENU* key
- Select Messages and press OK
- Select Inbox and press OK
- Select message from the list and press Read
- Press **Options**, select **Delete** and press **OK**



5.4 Message Settings

Message Center

- Press the *MENU* key
- Select Messages and press OK
- Select Message settings and press OK
- Select Service center by and press OK
- Enter the number that your service provider gave you and press OK

Note: If the number is already entered, press OK.

Message Lifetime

- Press the *MENU* key
- Select Messages and press OK
- Select Message settings and press OK
- Select Validity period and press OK
- Using arrow keys ▲ ▼ select preferred message lifetime and press OK

Note: Message lifetime is the amount of time that an unread message will remain on the network server before being removed.

6 ADDITIONAL FEATURES

6.1 Date and Time Settings

Set the time

- Press the *MENU* key
- Select Settings and press OK
- Select Time and date and press OK
- Select Adjust time and press OK
- Set time by using number keypad or arrow keys ▲ ▼ and press OK

Change the time format

- Press the *MENU* key
- Select Settings and press OK
- Select Time and date and press OK
- Select Time format, select preferred time format and press OK

Set the date

- Press the MENU key
- Select Settings and press OK
- Select Time and date and press OK
- Select Adjust date and press OK
- Set date by using number keypad or arrow keys ▲ ▼ and press OK

Change the date format

- Press the *MENU* key
- Select Settings and press OK
- Select *Time and date* and press *OK*
- Select Date settings and press OK
- Select *Date format*, select date format by using arrow keys ▲ ▼ and press *OK*

Turn date display on the LCD screen On/Off

- Press the *MENU* key
- Select Settings and press OK
- Select Time and date and press OK
- Select *Date settings* and press *OK*
- Select Show date, select ON or Off and press OK

6.2 Address Book

GSM desktop phone stores all contacts in the SIM card. Depending on the SIM card (SIM cards may have different memory capacities) phonebook is capable of storing up to 240 phone numbers with names.

Note: To dial a number from the phonebook pick up the handset and press **Phone book**.

Add new contact

- Press the *MENU* key
- Select Contacts and press OK
- Select New contact and press OK
- Enter name the by using number keypad and press OK
- Enter the number by using number keypad and press OK

Note: To input the "+" character press and hold "0" key.

Edit contact in the phone book

- Press the **NAMES** key
- Select contact by using arrow keys ▲ ▼
- Press Options, then select Edit contact and press OK
- Edit the name and press OK then edit the number and press OK

Delete contact

- Press the **NAMES** key
- Select contact by using arrow keys ▲▼
- Press *Options*, then select *Delete* by and press *OK*

6.3 Speed Dialing

Speed dialing function allows to quickly selecting saved number by using a number keypad keys (1-9). To program number keypad keys please do the following:

- Press the *MENU* key
- Select Contacts and press OK
- Select Speed dial and press OK
- Select wanted keypad number and press Options
- Select *Edit number* press *OK*
- Enter the number and press OK

6.4 Audio Settings

Increase/Decrease ring volume

- Press the *MENU* key
- Select Settings and press OK
- Select Sound and press OK

- Select *Ring volume* and press *OK*
- Change ring volume by using arrow keys ▲ ▼ and press OK

Change ring tone

- Press the *MENU* key
- Select Settings and press OK
- Select Sound and press OK
- Select *Ring tone* and press *OK*
- Select preferred ring tone by using arrow keys ▲ ▼ and press OK

Increase/Decrease message volume

- Press the *MENU* key
- Select Settings and press OK
- Select Sound and press OK
- Select Message volume and press OK
- Change message volume by using arrow keys ▲ ▼ and press OK

Select message tone

- Press the *MENU* key
- Select Settings and press OK
- Select Sound and press OK
- Select Message tone and press OK
- Select preferred melody tone by using arrow keys ▲ ▼ and press OK

Increase/Decrease speech volume

- Press the *MENU* key
- Select Settings and press OK
- Select Sound and press OK
- Select Speech volume and press OK
- Change speech volume using arrow keys ▲ ▼ and press OK

Turn On/Off phone keypad tone

- Press the *MENU* key
- Select Settings and press OK
- Select Sound and press OK
- Select Key tone and press OK
- Using arrow keys ▲ ▼ select On or Off and press OK

6.5 Alarm

The alarm feature can be used as an alarm clock. Alarm time and tone can be set for daily use or for one time only.

Set alarm time

- Press the *MENU* key
- Select Settings and press OK
- Select Time and date and press OK
- Select Alarm and press OK
- Select Alarm time and press OK, then select On and press OK
- Set time using number keypad or by using arrow keys ▲ ▼ and press OK
- Choose repeat alarm or not (On or Off) and press OK
- If repeat- select days to by repeat alarm using arrow keys ▲ ▼ and pressing *Change*. When finished press *OK*.

Set alarm volume

- Press the *MENU* key
- Select Settings and press OK
- Select Time and date and press OK
- Select Alarm and press OK
- Select Alarm options and press OK
- Select Alarm volume and press OK
- Change alarm volume by using arrow keys ▲ ▼ and press OK

Set alarm tone

- Press the *MENU* key
- Select Settings and press OK
- Select Time and date and press OK
- Select Alarm and press OK
- Select Alarm options and press OK
- Select Alarm tone and press OK
- Select preferred alarm melody by using arrow keys ▲ ▼ and press OK

6.6 Language Selection

To select the language use following instructions:

- Press the *MENU* key
- Select Settings and press OK
- Select Language and press OK
- Select preferred language by using arrow keys ▲ ▼ and press OK

6.7 Dial delay

Dial delay is the amount of time before phone automatically makes a call after dial number is entered. To set the time use following instructions:

- Press the *MENU* key
- Select Settings and press OK
- Select Call services and press OK
- Select *Dial delay* and press *OK*
- Select delay time by using arrow keys ▲ ▼ and press *OK*

6.8 Baby call

Baby call feature allows automatic calling after handset is picked up. The time and number are programmed. Use following instructions to enable this feature:

- Press the *MENU* key
- Select Settings and press OK
- Select Call services and press OK
- Select Baby call and press OK
- Select Baby call delay and press OK
- Select delay time and press OK
- Select Baby call number and press OK
- Enter the phone number or use a *Phone book* to select contact

Note: to disable Baby call feature select **Disable** in **Baby call delay** menu.

6.9 Operator selection

Desktop Phone allows automatic or manual operator sellection. Select Automatic to set the device to automatically select one of the cellular networks available in your area. With manually selected network, the phone will connect only to the manually set operator network.

Manual operator selection

- Press the *MENU* key
- Select Settings and press OK
- Select Operator selection and press OK
- Select Manual and press OK. The phone will search for available networks.
- Select preferred network from the given list and press OK

Note: you can manually select preferred network that has a roaming agreement with your service provider when the phone is used abroad.

6.10 Security settings

Change PIN code

- Press the MENU key
- Select Settings and press OK
- Select Security and press OK
- Select Change PIN code and press OK
- Enter current PIN code and press OK
- Enter new PIN code and press OK

Note: to change PIN code PIN code request must be enabled.

Pin code request

- Press the *MENU* key
- Select Settings and press OK
- Select Security and press OK
- Select PIN code request and press OK
- Enter PIN code and press OK
- Select Enable PIN request or Disable PIN request and press OK

Show IMEI number

- Press the *MENU* key
- Select Settings and press OK
- Select Misc and press OK
- Select Show IMEI and press OK

Show software version

- Press the *MENU* key
- Select Settings and press OK
- Select Misc and press OK
- Select Show software version and press OK

6.11 Restore Factory Defaults

- Press the *MENU* key
- Select Settings and press OK
- Select Factory reset and press OK
- Confirm resetting device to factory defaults by pressing OK

SUPPLEMENTARY SERVICES (NETWORK DEPENDENT) 7

7.1 Call Forwarding

Call forwarding feature allows redirecting incoming calls to another telephone number, even when the device is turned off. Call forwarding options include:

All - all calls

If **busy** - calls that come in when the line is busy

If no answer - calls that are not answered after a specified number of seconds

If not reachable - calls that come in when phone is not reachable (no signal or turned

off).

Turn On/Off call forwarding feature

- Press the MENU key •
- Select Settings and press OK •
- Select Call services and press OK •
- Select Call forwarding and press OK
- Select the desired forwarding type and press OK
- Using arrow keys ▲ ▼ select *Enable* or *Disable* and press *OK*
- Enter the phone number or use a *Phone book* to select contact

Cancel all call forwarding

- Press the MENU key •
- Select Settings and press OK •
- Select Call services and press OK
- Select Call forwarding and press OK •
- Select All, then select Disable and press OK

7.2 Call Barring

Call barring feature allows barring of incoming or outgoing calls. The following calls barring options are available:

All outgoing - do not allow any calls to be made.

Outgoing international - do not allow international calls.

Int. ex. to home country - do not allow international calls except to home country. All incoming - do not allow any incoming calls.

Incoming when roaming - do not allow any incoming calls if rooming Disable all – disable all call barring features.

Turn On/Off call barring feature

- Press the MENU key •
- Select Settings and press OK
- Select Call services and press OK
- Select Call barring and press OK
- Select the desired barring type
- Using arrow keys ▲ ▼ select *Enable/Disable* and press **OK**

7.3 Call Waiting

Call Waiting enables notification of incoming calls when the DPH101 is on call. To respond to Call Waiting, press *Answer* to answer or *Reject* to reject the call. Press *Options* then *Hold* to switch between incoming calls. Contact your service provider to activate Call Waiting feature.

Turn On/Off call waiting feature

- Press the *MENU* key
- Select Settings and press OK
- Select Call services and press OK
- Select Call waiting and press OK
- Using arrow keys ▲ ▼ select *Enable/Disable* and press *OK*

7.4 Call Transfer

A call transfer feature allows transferring an existing call to another phone. Contact your service provider to activate Call Transfer feature.

Call transfer

- During call press Hold,
- Press Options, then select New call and press OK
- Enter the phone number and press **DIAL** key or use a **Phone book** to select contact and press **Call**.
- Press Options, select Transfer and press OK

Note: to use a speed dialing press and hold the key for 2s. Note: to switch between calling numbers press **Options** then press **Hold**.

7.5 Call Conference

To start conference call make a new call or answer an incoming call. Put the call on hold (press *Options* then *Hold*) and add new participants.

Add new participant

- During call press *Hold*,
- Press Options, then select New call and press OK
- Enter the phone number and press **DIAL** key or use a **Phone book** to select contact and press **Call**.
- Press Options, select Join calls and press OK

Release a participant

- During call press **Options**
- Select Conference list and press OK
- From the conference participants list select the one which should be release and press *Release*

7.6 Hide Call number

Hide number feature allows you to set whether your phone number is shown or hidden from the person you are calling.

Turn On/Off hide number feature

- Press the *MENU* key
- Select Settings and press OK
- Select Call services and press OK
- Select Hide number and press OK
- Using arrow keys ▲ ▼ select *Enable/Disable* and press *OK*

8 TECHNICAL SPECIFICATIONS

GSM Interface

Dual-Band GSM 900/1800 MHz Output power: Class 4 (2 W) for GSM 900 Class 1 (1 W) for GSM 1800

Memory

Address book up to 240 entries (SIM dependent) SMS memory up to 30 (SIM dependent) Call memory: 10 last dialed, 10 last received, 10 last missed

Power supply

Mains adaptor: 100 - 240 V AC / 5V --- 0.7A Power consumption when talking 2W (peak) Power Consumption stand by (300mW)

Temperature & humidity

Operation 0° to 55° C Storage temperature -20° to 80° C Humidity 10% to 90% Storage humidity 5% to 95%

Package dimensions / weight

Approx. 290 x 225 x 75 mm Weight: Approx. 910 g

Other

External omni-directional antenna (SMA) Antenna Gain 2dBi Port for firmware update

9 TROUBLESHOOTING

Messages	Description	Solution
No network	1. Antenna not connected	1. Connect antenna and wait until network
	2. No network signal or signal	is found
	level too low	2. Contact your GSM network operator
Error	General error message	Contact your GSM network operator if
	-	message persists
Network timeout	Request failed to execute	Contact your GSM network operator if
		message persists
Error sending	Error occurred while sending	g1. Check Service center number under
	SMS	Message settings.
		2. Contact your GSM network operator
Wrong format	Format of received SMS is not	
SIM not inserted	supported SIM card is not inserted	Turn device Off, insert SIM card and turn
Similarited	Silvi calu is not inserted	device On
SIM failure	SIM card is corrupted or missing	Turn device Off, insert valid SIM card and
Similard	onvicara is corrupted of missing	turn device On
SIM busy	SIM card is busy	1. Wait for SIM card to become available
Shiri busy	Shiri card is busy	2. Insert valid SIM card
		3. Contact your GSM network operator
SIM wrong	Wrong SIM card is inserted	Turn device Off, insert valid SIM card and
Olivi wiolig	wrong onw card is inserted	turn device On
Enter PIN	PIN code is required	1. Enter correct PIN code
		2. Contact your GSM network operator
Enter PIN2	PIN2 code is required	1. Enter correct PIN2 code
		2. Contact your GSM network operator
Enter PUK	PUK code is required	1. Enter correct PUK code
	·	2. Contact your GSM network operator
Enter PUK2	PUK2 code is required	1. Enter correct PUK2 code
		2. Contact your GSM network operator
Service not available	Service requested	Contact your GSM network operator for
	is not available	available services
Service not subscribed	Service requested	Contact your GSM network operator for
	is not subscribed	available services
Service code error	Error occurred while	Contact your GSM network operator for
	executing service request	available services
Phone book error	Error occurred during	Replace SIM card if error persists
	initialization of Phone book	
Inbox error	Error occurred during	Replace SIM card if error persists
	initialization SMS inbox	
Inbox full	SMS inbox is full	Delete some/all messages to be able to
		receive new SMS messages