





TELTONIKA GSM Desktop Phone DPH200

User Manual v1.02

LEGAL NOTICE

Copyright © 2008 TELTONIKA Ltd. All rights reserved. Reproduction, transfer, distribution or storage of part or all of the contents in this document in any form without the prior written permission of TELTONIKA Ltd is prohibited.

Other product and company names mentioned herein may be trademarks or trade names of their respective owners.

ATTENTION



Before using the device we strongly recommend to read this user manual.



Do not rip the device. Do not touch the device if the device is broken or its connecting wires are without isolation.



All wireless devices for data transferring may be susceptible to interference, which could affect performance.



The device is not water-resistant. Keep it dry.



The device requires high 230V AC voltage.

IMPORTANT NOTES!

It is mandatory to read the notes and manual carefully before starting to use the device.


Table of contents

1	SAFE	FETY INFORMATION4				
2	GET	ETTING STARTED5				
3	PHO	NE OVERVIEW	8			
	3.1	Description of the phone	8			
	3.2	LCD screen icons	8			
	3.3	DPH200 menu structure	9			
4	CALL	FUNCTIONS	. 10			
	4.1	Making calls	.10			
	4.2	Receiving calls	. 10			
	4.3	Ending calls	.10			
5	SMS		. 11			
	5.1	Read SMS	.11			
	5.2	Send SMS	. 11			
	5.3	Delete SMS	.11			
	5.4	Message Settings	.12			
6	ADD	ITIONAL FEATURES	. 12			
	6.1	Date and Time Settings	.12			
	6.2	Address Book	.13			
	6.3	Speed Dialing	.14			
	6.4	Audio Settings	.14			
	6.5	Alarm	.15			
	6.6	Language Selection	16			
	6.7	Dial delay	.16			
	6.8	Baby call	16			
	6.9	Security settings	16			
	6.10	Restore Factory Defaults	.17			
7	SUPI	PLEMENTARY SERVICES (NETWORK DEPENDENT)	.17			
	7.1	Call Forwarding	. 17			
	7.2	Call Barring	.18			
	7.3	Call Waiting	18			
	7.4	Call Transfer	19			
8	TECH	HNICAL SPECIFICATIONS	20			
a	TR∩I	LIRI ESHOOTING	21			

1 SAFETY INFORMATION

In this document you will be instructed how to use GSM Desktop Phone safely. We suggest you to adhere to following recommendations to avoid any damage to person or property. You have to be familiar with the safety requirements before starting to use the device!








Socket RJ45 is used for device firmware upgrade. Only qualified personnel with proper equipment can upgrade the device.

Do not mount or serve device during a thunderbolt.

To disconnect power for the device please do the following:

- Plug off AC/DC power adapter from the wall outlet.
- Turn off using power on/off button.

To avoid mechanical damage of the device it is recommended to transport the device packed in damage-proof pack. Protection against over currents, short circuits and earth faults should be provided as a part of the building installation. Additional two pole protective device is required to protect from short-circuit and earth false. The power of connected device should satisfy power of release device. The creepage distance between contacts should be no less than 3mm. While using the device, it should be placed so, that it would be possible to plug off AC/DC power adapter from the wall outlet.




Signal level of the device depends on the environment in which it is working. If the device starts working insufficiently only qualified personnel may repair this product. We recommend to send it to repair centre or to manufacturers. There are no exchangeable parts inside of the device.

2 GETTING STARTED

Package Contents

- A. Handset with cable
- B. Phone device
- C. Battery
- D. Power supply adapter
- E. External GSM Antenna
- F. User manual



Note: If any of the components are missing or damaged, please contact the retailer or reseller from which this product was purchased.

Inserting SIM card

Note: SIM card is mandatory for setting up connection to the GSM network. If you don't have s SIM card please contact your network service provider.

- 1. Unplug the power supply adapter
- 2. Open cover



3. Flip SIM card holder and gently insert SIM card in the slot



4. Close SIM card holder

Connect back up battery

Battery is under the same cover as the SIM card. To install the battery plug the battery connector in to the battery socket.



Connect handset

Connect one handset cable end to the handset and another one to the phone jack.



Attach antenna

Screw the antenna in a clockwise direction.



Position the antenna upwards at its connecting joint. This will ensure optimal reception.

Wall mounting

GSM desktop phone can be mounted on the wall. Device has two holes for mounting as shown in figure below:



To mount device on the wall please do the following:

- Mark a location for two holes 115mm horizontally apart and drill two holes in the wall.
- 2. Install the screws (not supplied) into the wall, leaving a gap of approximately 3 mm between screw head and wall.
- 3. Mount the GSM desktop phone on screws.

Turning on GSM desktop phone

Before turning on the phone make sure that:

- SIM card is inserted
- Battery is connected (not necessary)
- Antenna is attached
- Handset is connected to the phone
- Power adapter is connected


After all these operations are done you can switch the phone on by pushing the power button on a back panel. After the device is switched on it will start up. LCD screen will display information that the phone is starting up. To turn off the phone press the same button again.

3 PHONE OVERVIEW

3.1 Description of the phone



3.2 LCD screen icons



3.3 DPH200 menu structure

User friendly menu navigation allows reaching all GSM Desktop phone features.

Menu navigation

To enter menu press the functional *Menu* key.



Menu items are selected by using up and down arrow keys $\blacktriangle \ lacktriangledown$ located below the LCD screen.



To enter selected menu function press left arrow key \blacktriangleleft (LCD displays OK), to exit press right arrow key \blacktriangleright (LCD displays Exit).

Menu structure is shown below

Messages:	Call register:	Contacts:	Settings:
Create message	Missed calls	Phone book	Language
Inbox	Received calls	Speed dial	Sound
Clear inbox	Dialed numbers	New contact	Call services
Message settings	Clear lists		Time and date
			Security
			Misc
			Factory reset

CALL FUNCTIONS 4

4.1 **Making calls**

- Pick up the handset or press the speaker phone key
- Wait for dial tone
- Enter the phone number then press **DIAL** key or wait for 5s or use a **Phone book** to select contact and press **Call**.

Note: To input the "+" character press and hold "0" key.

Correct entered number

- To delete one character press the **Delete** key once
- To delete all character press the **Delete** key until all digits are cleared

Redial last entered number

- Press the **Dial** key
- Use arrow keys ▲ ▼ to select a number
- Pick up the handset

Receiving calls 4.2

Answering call

To answer the call, pick up the handset or press the speaker phone key

Reject call

To reject call press Disconn.

Note: incoming call number is displayed on the LCD. The caller ID and call number is displayed on the LCD if the number is stored in the phone book.

Note: If there are missed calls the icon "Ring" on the LCD screen is displayed. Number near the icon shows how many calls where missed.

4.3 **Ending calls**

To end a call place the handset back onto the cradle or press the spearkerphone key if using the handsfree feature.

5 SMS

GSM Desktop phone allows sending and receiving SMS text messages. Each SMS message can be maximum of 160 characters length. Contact your service provider to activate SMS.

5.1 Read SMS

Read received message

When a new message is received icon "Message" on the LCD screen is displayed. To read the message press *Read*.

Read message from inbox

- Press the *MENU* key
- Select Messages and press OK
- Select *Inbox* and press *OK*
- Select message from the list by using arrow keys ▲ ▼ and press Read

Reply to received Messages

- View the desired message
- Press Options and press OK
- Select Reply and press OK
- Type the text using number keypad and press Send
- Press Send again

Forward text Message

- View the desired message
- Press Options and press OK
- Select Forward and press OK
- Enter the phone number or use *Phone book* to select an contact
- Press Send

5.2 Send SMS

- Press SMS key
- Type the text using number keypad and press Send
- Enter the phone number or use a **Phone book** to select contact
- Press Send

5.3 Delete SMS

- Press the *MENU* key
- Select Messages and press OK
- Select *Inbox* and press *OK*
- Select message from the list and press Read
- Press Options select Delete and press OK

5.4 Message Settings

Message Center

- Press the *MENU* key
- Select Messages and press OK
- Select Message settings and press OK
- Select Service center by and press OK
- Enter the number that your service provider gave you and press OK

Note: If the number is already entered, press **OK**.

Message Lifetime

- Press the *MENU* key
- Select Messages and press OK
- Select Message settings and press OK
- Select Validity period and press OK
- Using arrow keys ▲ ▼ select preferred message lifetime and press OK

Note: Message lifetime is the amount of time that an unread message will remain on the network server before being removed.

6 ADDITIONAL FEATURES

6.1 Date and Time Settings

Set the time

- Press the MENU key
- Select Settings and press OK
- Select *Time and date* and press *OK*
- Select Adjust time and press OK
- Set time by using number keypad or arrow keys ▲ ▼ and press OK

Change the time format

- Press the *MENU* key
- Select Settings and press OK
- Select Time and date and press OK
- Select Time format, select preferred time format and press OK

Set the date

- Press the *MENU* key
- Select Settings and press OK
- Select Time and date and press OK
- Select Adjust date and press OK
- Set date by using number keypad or arrow keys ▲ ▼ and press OK

Change the date format

- Press the *MENU* key
- Select Settings and press OK
- Select Time and date and press OK
- Select Date settings and press OK
- Select *Date format*, select date format by using arrow keys ▲ ▼ and press *OK*

Turn date display on the LCD screen On/Off

- Press the *MENU* key
- Select Settings and press OK
- Select Time and date and press OK
- Select Date settings and press OK
- Select Show date, select ON or Off and press OK

6.2 Address Book

GSM desktop phone stores all contacts in the SIM card. Depending on the SIM card (SIM cards may have different memory capacities) phonebook is capable of storing up to 240 phone numbers with names.

Note: To dial a number from the phonebook pick up the handset and press **Phone book**.

Add new contact

- Press the *MENU* key
- Select Contacts and press OK
- Select New contact and press OK
- Enter name the by using number keypad and press OK
- Enter the number by using number keypad and press OK

Note: To input the "+" character press and hold "0" key.

Edit contact in the phone book

- Press the *NAMES* key
- Select contact by using arrow keys ▲ ▼ and press OK
- Press Options, then select Edit contact and press OK
- Edit the name and press OK then edit the number and press OK

Delete contact

- Press the *NAMES* key
- Select contact by using arrow keys ▲ ▼ and press OK
- Press Options, then select Delete by and press OK

6.3 Speed Dialing

Speed dialing function allows to quickly selecting saved number by using a number keypad keys (1-9). To program number keypad keys please do the following:

- Press the *MENU* key
- Select Contacts and press OK
- Select Speed dial and press OK
- Select wanted keypad number and press Options
- Select Edit number press OK
- Enter the number and press OK

6.4 Audio Settings

Increase/Decrease ring volume

- Press the *MENU* key
- Select Settings and press OK
- Select Sound and press OK
- Select Ring volume and press OK
- Change ring volume by using arrow keys ▲ ▼ and press OK

Change ring tone

- Press the *MENU* key
- Select Settings and press OK
- Select Sound and press OK
- Select Ring tone and press OK
- Select preferred ring tone by using arrow keys $\blacktriangle \nabla$ and press OK

Increase/Decrease message volume

- Press the *MENU* key
- Select Settings and press OK
- Select Sound and press OK
- Select Message volume and press OK
- Change message volume by using arrow keys ▲ ▼ and press OK

Select message tone

- Press the *MENU* key
- Select Settings and press OK
- Select Sound and press OK
- Select Message tone and press OK
- Select preferred melody tone by using arrow keys ▲ ▼ and press OK

Increase/Decrease speech volume

- Press the *MENU* key
- Select Settings and press OK

- Select **Sound** and press **OK**
- Select Speech volume and press OK
- Change speech volume using arrow keys $\blacktriangle \nabla$ and press OK

Turn On/Off phone keypad tone

- Press the **MENU** key
- Select **Settings** and press **OK**
- Select **Sound** and press **OK**
- Select **Key tone** and press **OK**
- Using arrow keys $\blacktriangle \nabla$ select *On* or *Off* and press *OK*

6.5 Alarm

The alarm feature can be used as an alarm clock. Alarm time and tone can be set for daily use or for one time only

Set alarm time

- Press the **MENU** kev
- Select **Settings** and press **OK**
- Select Time and date and press OK
- Select *Alarm* and press *OK*
- Select *Alarm time* and press *OK*, then select *On* and press *OK*
- Set time using number keypad or by using arrow keys ▲ ▼ and press OK
- Choose repeat alarm or not (On or Off) and press OK
- If repeat- select days to by repeat alarm using arrow keys $\blacktriangle \nabla$ and pressing *Change*. When finished press *OK*.

Set alarm volume

- Press the **MENU** key
- Select **Settings** and press **OK**
- Select *Time and date* and press *OK*
- Select *Alarm* and press *OK*
- Select *Alarm options* and press *OK*
- Select *Alarm volume* and press *OK*
- Change alarm volume by using arrow keys $\blacktriangle \nabla$ and press **OK**

Set alarm tone

- Press the **MENU** key
- Select **Settings** and press **OK**
- Select *Time and date* and press *OK*
- Select *Alarm* and press *OK*
- Select *Alarm options* and press *OK*
- Select *Alarm tone* and press *OK*
- Select preferred alarm melody by using arrow keys $\blacktriangle \nabla$ and press **OK**

6.6 Language Selection

To select the language use following instructions:

- Press the *MENU* key
- Select Settings and press OK
- Select Language and press OK
- Select preferred language by using arrow keys ▲ ▼ and press OK

6.7 Dial delay

Dial delay is the amount of time, for the phone before automatically making a call after dial number is entered. To set the time use following instructions:

- Press the *MENU* key
- Select Settings and press OK
- Select Call services and press OK
- Select *Dial delay* and press *OK*
- Select delay time by using arrow keys ▲ ▼ and press OK

6.8 Baby call

Baby call feature allows automatic calling after handset is picked up. The time and number are programmed. Use following instructions to enable this feature:

- Press the *MENU* key
- Select Settings and press OK
- Select Call services and press OK
- Select Baby call and press OK
- Select Baby call delay and press OK
- Select delay time and press OK
- Select Baby call number and press OK
- Enter the phone number or use a *Phone book* to select contact

Note: to disable Baby call feature select **Disable** in **Baby call delay** menu.

6.9 Security settings

Change PIN code

- Press the *MENU* kev
- Select Settings and press OK
- Select Security and press OK
- Select Change PIN code and press OK
- Enter PIN code and press OK
- Enter new PIN code and press OK

Note: to change PIN code PIN code request must be enabled.

Pin code request

- Press the *MENU* key
- Select Settings and press OK
- Select Security and press OK
- Select PIN code request and press OK
- Enter PIN code and press OK
- Use arrow keys ▲ ▼ to turn On or Off PIN code request and press OK

Show IMEI number

- Press the *MENU* key
- Select Settings and press OK
- Select Misc and press OK
- Select Show IMEI and press OK

Show software version

- Press the *MENU* key
- Select Settings and press OK
- Select Misc and press OK
- Select Show software version and press OK

6.10 Restore Factory Defaults

- Press the *MENU* key
- Select Settings and press OK
- Select Factory reset and press OK
- Confirm resetting device to factory defaults by pressing OK

7 SUPPLEMENTARY SERVICES (NETWORK DEPENDENT)

7.1 Call Forwarding

Call forwarding feature allows redirecting incoming calls to another telephone number, even when the device is turned off.

Call forwarding options include:

All - all calls

If busy - calls that come in when the line is busy

No answer - calls that are not answered after a specified number of seconds

Not reachable - calls that come in when DPH200 is not reachable (no signal or turned off).

Turn On/Off call forwarding feature

- Press the *MENU* key
- Select Settings and press OK
- Select Call services and press OK
- Select Call forwarding and press OK
- Select the desired forwarding type and press OK

- Using arrow keys ▲ ▼ select Enable or Disable and press OK
- Enter the phone number or use a *Phone book* to select contact

Cancel all call forwarding

- Press the *MENU* key
- Select Settings and press OK
- Select Call services and press OK
- Select Call forwarding and press OK
- Select All, then select Disable and press OK

7.2 Call Barring

Call barring feature allows barring of incoming or outgoing calls. The following calls barring options are available:

All outgoing - do not allow any calls to be made.

Outgoing international - do not allow international calls.

Int. ex. to home country - do not allow international calls except to home country.

All incoming - do not allow any incoming calls.

Incoming when roaming - do not allow any incoming calls if rooming **Disable all** - do not allow any calls to be made or received.

Turn On/Off call barring feature

- Press the *MENU* key
- Select Settings and press OK
- Select Call services and press OK
- Select Call barring and press OK
- Select the desired barring type
- Using arrow keys ▲ ▼ select Enable/Disable and press OK

7.3 Call Waiting

Call Waiting enables notification of incoming calls when the DPH200 is on call. To respond to Call Waiting, press *Answer* to answer or *Reject* to reject the call. Press *Options* then *Hold* to switch between incoming calls. Contact your service provider to activate Call Waiting feature.

Turn On/Off call waiting feature

- Press the MENU key
- Select Settings and press OK
- Select Call services and press OK
- Select Call waiting and press OK
- Using arrow keys ▲ ▼ select Enable/Disable and press OK

7.4 Call Transfer

A call transfer feature allows transferring an existing call to another phone. Contact your service provider to activate Call Waiting feature.

Call transfer

- During call press Hold,
- Press Options
- Select New call and press OK
- Enter the phone number and press DIAL key or use a Phone book to select contact and press Call.
- Press Options, select Transfer and press OK

Note: to use a speed dialing press and hold the key for 2s.

Note: to switch between calling numbers press **Options** then press **Hold**.

8 TECHNICAL SPECIFICATIONS

GSM Interface

Quad-Band GSM 850 / 900 / 1800 / 1900 MHz.

Output power:

class 4 (2 W) for EGSM 850/900. class 1 (1 W) for GSM 1800/1900.

Memory

Address book up to 240 entries (SIM dependant)

SMS memory up to 30 (SIM dependant)

Call memory: 10 last dialed, 10 last received, 10 last missed

Power supply

Mains adaptor: 100 - 240 V AC / 5.2V === 1A

Built in lighting protection Battery: NiMH 3.6V 1600 mAh

Power consumption when talking 2W (peak)
Power Consumption stand by (100mW)

Battery charging time 10 hours

Standby time: 120 hours

Temperature & humidity

Operation 0^{0} to 55^{0} C Storage temperature -20^{0} to 80^{0} C Humidity 10% to 90% Storage humidity 5% to 95%

Dimensions / weight

Approx. 220 x 170 x 65 mm

Weight: Approx. 920 g

Other

External omni directional antenna (SMA) Antenna Gain 2dBi Port for FW update - RJ45 (UART)

9 TROUBLESHOOTING

2. No network signal or signal level too low 2. Contact your GSM network operator Error General error message Contact your GSM network operator if message persists Network timeout Request failed to execute Contact your GSM network operator if message persists Error sending Error occurred while sending SMS 1. Check Service center number under Message settings. 2. Contact your GSM network operator Message settings. 2. Contact your GSM network operator Wrong format Format of received SMS is not supported SIM not inserted SIM card is not inserted Turn device Off, insert SIM card and turn device On SIM failure SIM card is corrupted or missing Turn device Off, insert valid SIM card and turn device On SIM busy SIM card is busy 1. Wait for SIM card to become available 2. Insert valid SIM card 3. Contact your GSM network operator Turn device Off, insert valid SIM card and turn device On Enter PIN PIN code is required 1. Enter correct PIN code 2. Contact your GSM network operator Enter PIN2 PIN2 code is required 1. Enter correct PIN2 code 2. Contact your GSM network operator Enter PUK PUK code is required 1. Enter correct PUK code 2. Contact your GSM network operator Enter PUK2 PUK2 code is required 1. Enter correct PUK code 2. Contact your GSM network operator Enter PUK2 PUK2 code is required 1. Enter correct PUK code 2. Contact your GSM network operator Enter PUK2 PUK2 code is required 1. Enter correct PUK code 2. Contact your GSM network operator Enter PUK2 PUK2 code is required 1. Enter correct PUK2 code 2. Contact your GSM network operator Enter PUK2 PUK2 code is required 1. Enter correct PUK2 code 2. Contact your GSM network operator Enter PUK2 PUK2 code is required 1. Enter correct PUK2 code 2. Contact your GSM network operator Enter PUK2 PUK2 code is required 2. Contact your GSM network operator for available services Enter PUK2 PUK2 code is required 2. Contact your GSM network operator for available services Enter PUK2 PUK2 code is required 2. Contact your GSM network operator for available services Enter PUK2 P	Messages	Description	Solution
Ievel too low 2. Contact your GSM network operator	No network	1. Antenna not connected	1. Connect antenna and wait until network is
Error General error message Contact your GSM network operator if message persists Network timeout Request failed to execute Contact your GSM network operator if message persists Error sending Error occurred while sending SMS 1. Check Service center number under Message settings. 2. Contact your GSM network operator Wrong format Format of received SMS is not supported SIM card is not inserted Turn device Off, insert SIM card and turn device On SIM failure SIM card is corrupted or missing Turn device Off, insert valid SIM card and turn device On SIM busy SIM card is busy 1. Wait for SIM card to become available 2. Insert valid SIM card and turn device On SIM wrong SIM card is inserted Turn device Off, insert valid SIM card and turn device On Enter PIN PIN code is required Turn device Off insert valid SIM card and turn device On Enter PIN PIN2 code is required 1. Enter correct PIN code 2. Contact your GSM network operator Enter PUK PUK code is required 1. Enter correct PIN2 code 2. Contact your GSM network operator Enter PUK PUK code is required 1. Enter correct PUK code 2. Contact your GSM network operator Enter PUK PUK2 code is required 1. Enter correct PUK code 2. Contact your GSM network operator Enter PUK2 PUK2 code is required 1. Enter correct PUK code 2. Contact your GSM network operator on available services Service not available Service requested Contact your GSM network operator for available services Service not subscribed Service requested Contact your GSM network operator for available services Service code error Error occurred while executing service request available services Phone book error Error occurred during initialization of Phone book Inbox full SMS inbox is full Delete some/all messages to be able to		2. No network signal or signal	found
Metwork timeout Request failed to execute Contact your GSM network operator if message persists		level too low	2. Contact your GSM network operator
Network timeout Request failed to execute Contact your GSM network operator if message persists	Error	General error message	Contact your GSM network operator if
Error sending Error occurred while sending SMS 1. Check Service center number under Message settings. 2. Contact your GSM network operator Wrong format Format of received SMS is not supported SIM card is not inserted SIM card is not inserted device On Turn device Off, insert SIM card and turn device On SIM failure SIM card is busy Turn device Off, insert valid SIM card and turn device On SIM wrong SIM card is busy 1. Wait for SIM card to become available 2. Insert valid SIM card 3. Contact your GSM network operator SIM wrong Wrong SIM card is inserted Turn device Off, insert valid SIM card and turn device On 3. Contact your GSM network operator SIM wrong Wrong SIM card is inserted Turn device Off, insert valid SIM card and turn device On 1. Enter correct PIN code 2. Contact your GSM network operator SIM wrong SIM card is required 1. Enter correct PIN code 2. Contact your GSM network operator SIM public SIM card is required 1. Enter correct PIN code 2. Contact your GSM network operator SIM public SIM card is required 1. Enter correct PIN code 2. Contact your GSM network operator SIM public SIM sin to available service SIM network operator SIM public SIM sin to subscribed 2. Contact your GSM network operator SIM sin to subscribed 3. Service requested 3. Contact your GSM network operator SIM sin to subscribed 3. Service se			message persists
Error sending Error occurred while sending SMS 1. Check Service center number under Message settings. 2. Contact your GSM network operator Wrong format Format of received SMS is not supported SIM card is not inserted SIM card is not inserted Turn device Off, insert SIM card and turn device On SIM failure SIM card is corrupted or missing Turn device Off, insert valid SIM card and turn device On SIM busy SIM card is busy 1. Wait for SIM card to become available 2. Insert valid SIM card and turn device On SIM wrong Wrong SIM card is inserted Turn device Off, insert valid SIM card and turn device On SIM wrong Wrong SIM card is inserted Turn device Off, insert valid SIM card and turn device On Enter PIN PIN code is required 1. Enter correct PIN code 2. Contact your GSM network operator Enter PUK PUK code is required 1. Enter correct PIN 2 code 2. Contact your GSM network operator Enter PUK PUK code is required 1. Enter correct PUK code 2. Contact your GSM network operator Enter PUK2 PUK2 code is required 1. Enter correct PUK2 code 2. Contact your GSM network operator Enter PUK2 PUK2 code is required 1. Enter correct PUK2 code 2. Contact your GSM network operator Enter PUK2 PUK2 code is required 1. Enter correct PUK2 code 2. Contact your GSM network operator Enter PUK2 Contact your GSM network operator Enter occurred while is not available Service requested Contact your GSM network operator for available services Service code error Error occurred while executing service request available services Phone book error Error occurred during initialization of Phone book Inbox full SMS inbox is full Delete some/all messages to be able to	Network timeout	Request failed to execute	Contact your GSM network operator if
Message settings. 2. Contact your GSM network operator Wrong format Format of received SMS is not supported SIM not inserted SIM card is not inserted Turn device Off, insert SIM card and turn device On SIM failure SIM card is corrupted or missing Turn device Off, insert valid SIM card and turn device On SIM busy SIM card is busy 1. Wait for SIM card to become available 2. Insert valid SIM card and turn device Off, insert valid SIM card and turn device Off 3. Contact your GSM network operator Turn device Off, insert valid SIM card and turn device Off 4. Enter correct PIN code 2. Contact your GSM network operator Enter PIN PIN code is required 1. Enter correct PIN code 2. Contact your GSM network operator Enter PUK PUK code is required 1. Enter correct PIN code 2. Contact your GSM network operator Enter PUK2 PUK2 code is required 1. Enter correct PUK code 2. Contact your GSM network operator Enter PUK2 PUK2 code is required 1. Enter correct PUK2 code 2. Contact your GSM network operator Enter PUK2 PUK2 code is required 1. Enter correct PUK2 code 2. Contact your GSM network operator Enter PUK2 PUK2 code is required 1. Enter correct PUK2 code 2. Contact your GSM network operator of available services Service not available Service requested Contact your GSM network operator for available services Service code error Error occurred while contact your GSM network operator for available services Phone book error Error occurred during initialization of Phone book Inbox error Error occurred during initialization of Phone book Inbox full SMS inbox is full Delete some/all messages to be able to			message persists
Wrong format Format of received SMS is not supported SIM card is not inserted SIM card is not inserted SIM card is corrupted or missing Turn device Off, insert SIM card and turn device On SIM failure SIM card is busy Turn device Off, insert valid SIM card and turn device On SIM busy SIM card is busy 1. Wait for SIM card to become available 2. Insert valid SIM card and turn device On SIM wrong Wrong SIM card is inserted Turn device Off, insert valid SIM card and turn device On SIM wrong Wrong SIM card is inserted Turn device Off, insert valid SIM card and turn device On Enter PIN PIN code is required 1. Enter correct PIN code 2. Contact your GSM network operator Enter PIN2 PIN2 code is required 1. Enter correct PIN2 code 2. Contact your GSM network operator Enter PUK PUK code is required 1. Enter correct PUK code 2. Contact your GSM network operator Enter PUK2 PUK2 code is required 1. Enter correct PUK2 code 2. Contact your GSM network operator Enter PUK2 PUK2 code is required 1. Enter correct PUK2 code 2. Contact your GSM network operator Enter PUK2 Contact your GSM network operator Enter PUK2 Contact your GSM network operator Enter correct PUK2 code 2. Contact your GSM network operator Enter correct PUK2 code 3. Contact your GSM network operator Enter correct PUK2 code 4. Contact your GSM network operator Enter correct puk2 code 5. Contact your GSM network operator for available services Service not subscribed Service requested contact your GSM network operator for available services Service code error Error occurred while contact your GSM network operator for available services From occurred during not subscribed Inbox error Error occurred during not place SIM card if error persists Inbox full Enter correct PUK2 code Delete some/all messages to be able to	Error sending	Error occurred while sending SMS	 Check Service center number under
Wrong format Format of received SMS is not supported SIM not inserted SIM card is not inserted Turn device Off, insert SIM card and turn device On SIM failure SIM card is corrupted or missing Turn device Off, insert valid SIM card and turn device On SIM busy SIM card is busy 1. Wait for SIM card to become available 2. Insert valid SIM card and turn device On SIM wrong Wrong SIM card is inserted Turn device Off, insert valid SIM card and turn device On SIM wrong Wrong SIM card is inserted Turn device Off, insert valid SIM card and turn device On Enter PIN PIN code is required 1. Enter correct PIN code 2. Contact your GSM network operator Enter PIN2 PIN2 code is required 1. Enter correct PIN2 code 2. Contact your GSM network operator Enter PUK PUK code is required 1. Enter correct PUK code 2. Contact your GSM network operator Enter PUK2 PUK2 code is required 1. Enter correct PUK2 code 2. Contact your GSM network operator Enter PUK2 PUK2 code is required 1. Enter correct PUK2 code 2. Contact your GSM network operator Enter PUK2 PUK2 code is required 1. Enter correct PUK2 code 2. Contact your GSM network operator Enter PUK3 Service not available Service requested 1. Enter correct PUK2 code 2. Contact your GSM network operator for available services Service not subscribed Service requested 1. Enter correct PUK2 code 2. Contact your GSM network operator for available services Service solve erguested 2. Contact your GSM network operator for available services Service code error Error occurred while 2. Contact your GSM network operator for available services Service code error Error occurred during 3. Replace SIM card if error persists 3. Inbox full Delete some/all messages to be able to			Message settings.
SIM not inserted SIM card is not inserted SIM card is corrupted or missing Turn device Off, insert SIM card and turn device On SIM failure SIM card is corrupted or missing Turn device Off, insert valid SIM card and turn device On SIM busy SIM card is busy 1. Wait for SIM card to become available 2. Insert valid SIM card 3. Contact your GSM network operator SIM wrong Wrong SIM card is inserted Turn device Off, insert valid SIM card and turn device Off. Insert valid SIM card is inserted Insert correct PIN code Insert valid SIM card is insert valid SIM card and turn device Off. Insert valid SIM card is IM card and turn device Off. Insert valid SIM card and turn device Off. Insert valid SIM card is IM card and turn device Off. Insert valid SIM card and turn device Off. Insert valid SIM card is IM card and turn device Off. Insert valid SIM card is IM card and turn device Off. Insert valid SIM card is IM card in turn device Off. Insert valid SIM card in turn device Off. In			2. Contact your GSM network operator
SIM not inserted SIM card is not inserted Turn device Off, insert SIM card and turn device On SIM failure SIM card is corrupted or missing Turn device Off, insert valid SIM card and turn device On SIM busy SIM card is busy 1. Wait for SIM card to become available 2. Insert valid SIM card 3. Contact your GSM network operator SIM wrong Wrong SIM card is inserted Turn device Off, insert valid SIM card and turn device On Enter PIN PIN code is required 1. Enter correct PIN code 2. Contact your GSM network operator Enter PIN2 PIN2 code is required 1. Enter correct PIN2 code 2. Contact your GSM network operator Enter PUK PUK code is required 1. Enter correct PUK code 2. Contact your GSM network operator Enter PUK2 PUK2 code is required 1. Enter correct PUK2 code 2. Contact your GSM network operator Enter PUK2 PUK2 code is required 1. Enter correct PUK2 code 2. Contact your GSM network operator Enter PUK2 Service not available Service requested 2. Contact your GSM network operator Service not subscribed 3. Service requested 2. Contact your GSM network operator for available services Service code error 4. Error occurred while 2. Contact your GSM network operator for available services Service code error 4. Error occurred during 3. Replace SIM card if error persists 4. Inbox full Inbox error 4. Error occurred during 3. Replace SIM card if error persists 4. Inbox full Delete some/all messages to be able to	Wrong format	Format of received SMS is not	
SIM failure SIM card is corrupted or missing Turn device Off, insert valid SIM card and turn device On SIM busy SIM card is busy 1. Wait for SIM card to become available 2. Insert valid SIM card 3. Contact your GSM network operator SIM wrong Wrong SIM card is inserted Turn device Off, insert valid SIM card and turn device On Enter PIN PIN code is required 1. Enter correct PIN code 2. Contact your GSM network operator Enter PIN2 PIN2 code is required 1. Enter correct PIN2 code 2. Contact your GSM network operator Enter PUK PUK code is required 1. Enter correct PUK code 2. Contact your GSM network operator Enter PUK2 PUK2 code is required 1. Enter correct PUK code 2. Contact your GSM network operator Enter PUK2 PUK2 code is required 1. Enter correct PUK2 code 2. Contact your GSM network operator Enter PUK2 Service not available Service requested is not available Service requested is not available Service requested contact your GSM network operator for available services Service code error Error occurred while executing service request Phone book error Error occurred during initialization of Phone book Inbox full SMS inbox is full Delete some/all messages to be able to		supported	
SIM failure SIM card is corrupted or missing Turn device Off, insert valid SIM card and turn device On SIM busy SIM card is busy 1. Wait for SIM card to become available 2. Insert valid SIM card 3. Contact your GSM network operator Turn device Off, insert valid SIM card and turn device Off, insert valid SIM card and turn device Off, insert valid SIM card and turn device Off. Enter PIN PIN code is required 1. Enter correct PIN code 2. Contact your GSM network operator Enter PIN2 PIN2 code is required 1. Enter correct PIN2 code 2. Contact your GSM network operator Enter PUK PUK code is required 1. Enter correct PUK code 2. Contact your GSM network operator Enter PUK2 PUK2 code is required 1. Enter correct PUK code 2. Contact your GSM network operator Enter PUK2 PUK2 code is required Contact your GSM network operator Enter PUK2 Service not available Service requested is not available Service requested contact your GSM network operator for available services Service code error Error occurred while contact your GSM network operator for available services Phone book error Error occurred during initialization of Phone book Inbox error Error occurred during initialization SMS inbox Inbox full SMS inbox is full Delete some/all messages to be able to	SIM not inserted	SIM card is not inserted	Turn device Off, insert SIM card and turn
SIM busy SIM card is busy SIM card is busy 1. Wait for SIM card to become available 2. Insert valid SIM card 3. Contact your GSM network operator SIM wrong Wrong SIM card is inserted Turn device Off, insert valid SIM card and turn device On Enter PIN PIN code is required 1. Enter correct PIN code 2. Contact your GSM network operator Enter PIN2 PIN2 code is required 1. Enter correct PIN2 code 2. Contact your GSM network operator Enter PUK PUK code is required 1. Enter correct PUK code 2. Contact your GSM network operator Enter PUK2 PUK2 code is required 1. Enter correct PUK2 code 2. Contact your GSM network operator Enter PUK2 PUK2 code is required 1. Enter correct PUK2 code 2. Contact your GSM network operator Enter PUK2 PUK2 code is required 1. Enter correct PUK2 code 2. Contact your GSM network operator Enter PUK3 Service not available Service requested			
SIM busy SIM card is busy 1. Wait for SIM card to become available 2. Insert valid SIM card 3. Contact your GSM network operator Turn device Off, insert valid SIM card and turn device On Enter PIN PIN code is required 1. Enter correct PIN code 2. Contact your GSM network operator Enter PIN2 PIN2 code is required 1. Enter correct PIN2 code 2. Contact your GSM network operator Enter PUK PUK code is required 1. Enter correct PUK code 2. Contact your GSM network operator Enter PUK2 PUK2 code is required 1. Enter correct PUK2 code 2. Contact your GSM network operator Enter PUK2 PUK2 code is required 1. Enter correct PUK2 code 2. Contact your GSM network operator Enter PUK2 PUK2 code is required 1. Enter correct PUK2 code 2. Contact your GSM network operator Enter PUK3 Service not available Service requested	SIM failure	SIM card is corrupted or missing	Turn device Off, insert valid SIM card and
2. Insert valid SIM card 3. Contact your GSM network operator SIM wrong Wrong SIM card is inserted Turn device Off, insert valid SIM card and turn device On Enter PIN PIN code is required 1. Enter correct PIN code 2. Contact your GSM network operator Enter PIN2 PIN2 code is required 1. Enter correct PIN2 code 2. Contact your GSM network operator Enter PUK PUK code is required 1. Enter correct PUK code 2. Contact your GSM network operator Enter PUK2 PUK2 code is required 1. Enter correct PUK2 code 2. Contact your GSM network operator Enter PUK2 Contact your GSM network operator Enter PUK2 Contact your GSM network operator Service not available Service requested is not available Service requested contact your GSM network operator for available services Service code error Error occurred while executing service request Phone book error Error occurred during initialization of Phone book Inbox error Error occurred during initialization SMS inbox Inbox full Delete some/all messages to be able to			turn device On
3. Contact your GSM network operator SIM wrong Wrong SIM card is inserted Turn device Off, insert valid SIM card and turn device On Enter PIN PIN code is required 1. Enter correct PIN code 2. Contact your GSM network operator Enter PIN2 PIN2 code is required 1. Enter correct PIN2 code 2. Contact your GSM network operator Enter PUK PUK code is required 1. Enter correct PUK code 2. Contact your GSM network operator Enter PUK2 PUK2 code is required 1. Enter correct PUK2 code 2. Contact your GSM network operator Enter PUK2 PUK2 code is required 1. Enter correct PUK2 code 2. Contact your GSM network operator Contact your GSM network operator Service not available Service requested is not available Services Service not subscribed Service requested is not subscribed Service code error Error occurred while executing service request Phone book error Error occurred during initialization of Phone book Inbox error Error occurred during initialization SMS inbox Inbox full Delete some/all messages to be able to	SIM busy	SIM card is busy	
SIM wrong Wrong SIM card is inserted Enter PIN PIN code is required Enter PIN2 PIN2 code is required Enter PUK PUK code is required Enter PUK2 PUK2 code is required Enter PUK2 PUK2 code is required Enter PUK3 Enter correct PUK code 2. Contact your GSM network operator Enter PUK2 PUK2 code is required Enter correct PUK2 code 2. Contact your GSM network operator Enter PUK2 Enter correct PUK2 code 2. Contact your GSM network operator Enter PUK2 Enter correct PUK2 code Contact your GSM network operator Enter Correct PUK2 code Contact your GSM network operator Enter Correct PUK2 code Contact your GSM network operator for available services Envice not subscribed Service requested is not subscribed Error occurred while executing service request Phone book error Error occurred during initialization of Phone book Error occurred during initialization SMS inbox Elete SIM card if error persists Enter PUK2 Enter Correct PUK2 code 2. Contact your GSM network operator for available services Error occurred during initialization of Phone book Error occurred during initialization SMS inbox Error occurred during initialization SMS inbox Enter Correct PIN2 code 2. Contact your GSM network operator Error occurred during initialization of Phone book Error occurred during initialization SMS inbox Error occurred during initialization SMS inbox Enter Correct PUK2 Enter Correct PUK2 Contact your GSM network operator Error occurred during initialization SMS inbox Enter Correct PUK2 Enter Correct PUK2 Enter Correct PUK2 Contact your GSM network operator Enter Correct PUK			2. Insert valid SIM card
Enter PIN PIN code is required 1. Enter correct PIN code 2. Contact your GSM network operator 2. Contact your GSM network operator 3. Enter PIN2 code 2. Contact your GSM network operator 4. Enter PIN2 code 2. Contact your GSM network operator 5. Enter PUK public publi			
Enter PIN PIN code is required 1. Enter correct PIN code 2. Contact your GSM network operator Enter PIN2 PIN2 code is required 1. Enter correct PIN2 code 2. Contact your GSM network operator Enter PUK PUK code is required 1. Enter correct PUK code 2. Contact your GSM network operator Enter PUK2 PUK2 code is required 1. Enter correct PUK2 code 2. Contact your GSM network operator Enter PUK2 PUK2 code is required 1. Enter correct PUK2 code 2. Contact your GSM network operator Service not available Service requested Contact your GSM network operator for available services Service not subscribed Service requested Contact your GSM network operator for available services Service code error Error occurred while Contact your GSM network operator for available services Phone book error Error occurred during Replace SIM card if error persists initialization of Phone book Inbox error Error occurred during Replace SIM card if error persists initialization SMS inbox Inbox full SMS inbox is full Delete some/all messages to be able to	SIM wrong	Wrong SIM card is inserted	Turn device Off, insert valid SIM card and
2. Contact your GSM network operator Enter PIN2 PIN2 code is required 1. Enter correct PIN2 code 2. Contact your GSM network operator Enter PUK PUK code is required 1. Enter correct PUK code 2. Contact your GSM network operator Enter PUK2 PUK2 code is required 1. Enter correct PUK2 code 2. Contact your GSM network operator Service not available Service requested Contact your GSM network operator for available services Service not subscribed Service requested Contact your GSM network operator for available services Service code error Error occurred while Contact your GSM network operator for available services Service code error Error occurred while Contact your GSM network operator for available services Phone book error Error occurred during Replace SIM card if error persists initialization of Phone book Inbox error Error occurred during Replace SIM card if error persists Inbox full SMS inbox is full Delete some/all messages to be able to			
Enter PIN2 PIN2 code is required 1. Enter correct PIN2 code 2. Contact your GSM network operator Enter PUK PUK code is required 1. Enter correct PUK code 2. Contact your GSM network operator Enter PUK2 PUK2 code is required 1. Enter correct PUK2 code 2. Contact your GSM network operator Enter PUK2 PUK2 code is required 1. Enter correct PUK2 code 2. Contact your GSM network operator Service not available Service requested Contact your GSM network operator for available services Service not subscribed Service requested Contact your GSM network operator for available services Service code error Error occurred while Contact your GSM network operator for available services Phone book error Error occurred during Replace SIM card if error persists initialization of Phone book Inbox error Error occurred during Replace SIM card if error persists initialization SMS inbox Inbox full SMS inbox is full Delete some/all messages to be able to	Enter PIN	PIN code is required	
2. Contact your GSM network operator Enter PUK PUK code is required 1. Enter correct PUK code 2. Contact your GSM network operator Enter PUK2 PUK2 code is required 1. Enter correct PUK2 code 2. Contact your GSM network operator Service not available Service requested is not available Service requested is not subscribed Service requested is not subscribed Service requested is not subscribed Service requested contact your GSM network operator for available services Error occurred while executing service request Phone book error Error occurred during initialization of Phone book Inbox error Error occurred during initialization SMS inbox Error occurred during initialization SMS inbox Delete some/all messages to be able to			
Enter PUK PUK code is required 1. Enter correct PUK code 2. Contact your GSM network operator Enter PUK2 PUK2 code is required 1. Enter correct PUK2 code 2. Contact your GSM network operator Service not available Service requested is not available Service requested contact your GSM network operator for available services Service not subscribed Service requested is not subscribed Service requested contact your GSM network operator for available services Contact your GSM network operator for available services Contact your GSM network operator for available services Error occurred while executing service request Phone book error Error occurred during initialization of Phone book Inbox error Error occurred during initialization SMS inbox Error occurred during initialization SMS inbox Delete some/all messages to be able to	Enter PIN2	PIN2 code is required	1. Enter correct PIN2 code
2. Contact your GSM network operator Enter PUK2 PUK2 code is required 1. Enter correct PUK2 code 2. Contact your GSM network operator Service not available Service requested contact your GSM network operator for available services Service not subscribed Service requested contact your GSM network operator for available services Service code error Error occurred while contact your GSM network operator for available services Service code error Error occurred while contact your GSM network operator for available services Phone book error Error occurred during Replace SIM card if error persists initialization of Phone book Inbox error Error occurred during Replace SIM card if error persists Inbox full SMS inbox is full Delete some/all messages to be able to			Contact your GSM network operator
Enter PUK2 PUK2 code is required 1. Enter correct PUK2 code 2. Contact your GSM network operator Service not available Service requested is not available Service requested Service not subscribed Service requested is not subscribed Service requested contact your GSM network operator for available services Phone book error Error occurred during initialization of Phone book Inbox error Error occurred during initialization SMS inbox Replace SIM card if error persists Error occurred during initialization SMS inbox Delete some/all messages to be able to	Enter PUK	PUK code is required	
2. Contact your GSM network operator Service not available Service requested is not available Services Service not subscribed Service requested contact your GSM network operator for available services Service not subscribed Service requested available services Service code error Error occurred while contact your GSM network operator for available services Phone book error Error occurred during replace SIM card if error persists initialization of Phone book Inbox error Error occurred during replace SIM card if error persists initialization SMS inbox Inbox full SMS inbox is full Delete some/all messages to be able to			•
Service not available Service requested is not available Service not subscribed Service requested contact your GSM network operator for available services Service not subscribed Service requested contact your GSM network operator for available services Service code error Error occurred while contact your GSM network operator for available services Phone book error Error occurred during Replace SIM card if error persists initialization of Phone book Inbox error Error occurred during Replace SIM card if error persists initialization SMS inbox Inbox full SMS inbox is full Delete some/all messages to be able to	Enter PUK2	PUK2 code is required	1. Enter correct PUK2 code
is not available available services Service not subscribed Service requested contact your GSM network operator for available services Service code error Error occurred while cexecuting service request available services Phone book error Error occurred during ninitialization of Phone book Inbox error Error occurred during ninitialization SMS inbox Inbox full SMS inbox is full Delete some/all messages to be able to			, , ,
Service not subscribed Service requested is not subscribed Service code error Error occurred while executing service request available services Phone book error Error occurred during initialization of Phone book error Error occurred during initialization SMS inbox Error occurred during Replace SIM card if error persists Replace SIM card if error persists Delete some/all messages to be able to	Service not available	•	·
is not subscribed available services Service code error Error occurred while executing service request available services Phone book error Error occurred during initialization of Phone book Inbox error Error occurred during Replace SIM card if error persists Initialization SMS inbox Inbox full SMS inbox is full Delete some/all messages to be able to			
Service code error Error occurred while executing service request available services Phone book error Error occurred during initialization of Phone book Inbox error Error occurred during Replace SIM card if error persists Error occurred during Replace SIM card if error persists Error occurred during Replace SIM card if error persists initialization SMS inbox Inbox full Delete some/all messages to be able to	Service not subscribed	•	Contact your GSM network operator for
executing service request available services Phone book error Error occurred during initialization of Phone book Inbox error Error occurred during Replace SIM card if error persists initialization SMS inbox Inbox full SMS inbox is full Delete some/all messages to be able to		is not subscribed	
Phone book error Error occurred during initialization of Phone book Inbox error Error occurred during Replace SIM card if error persists Error occurred during Replace SIM card if error persists initialization SMS inbox Inbox full SMS inbox is full Delete some/all messages to be able to	Service code error	Error occurred while	·
initialization of Phone book Inbox error Error occurred during Replace SIM card if error persists initialization SMS inbox Inbox full SMS inbox is full Delete some/all messages to be able to			
Inbox error Error occurred during Replace SIM card if error persists initialization SMS inbox Inbox full SMS inbox is full Delete some/all messages to be able to	Phone book error		Replace SIM card if error persists
initialization SMS inbox Inbox full SMS inbox is full Delete some/all messages to be able to			
Inbox full SMS inbox is full Delete some/all messages to be able to	Inbox error		Replace SIM card if error persists
receive new SMS messages	Inbox full	SMS inbox is full	
			receive new SMS messages